PREPARING FOR PROCEDURE

IF YOU ARE EXPERIENCING A TRUE, LIFE-THREATENING EMERGENCY, CALL 911

GENERAL PRE-OPERATIVE INSTRUCTIONS

- -Do not eat or drink anything 7 hours before surgery
 (including water, gum or candy)
- -Do not smoke 12 hours before and after surgery
- -No alcoholic beverages 24 hours before and after surgery
- -Medication restrictions: consult your doctor
- -Do not take Aspirin 48 hours before surgery unless otherwise stated by your doctor

THINGS TO REMEMBER:

- -Please bring your insurance card and 2 major forms of identification with you (driver license, state ID or passport).
- -Leave your jewelry and valuables at home, remove ALL body piercings.
- -An adult must be available to drive you home after the surgery; you will not be allowed to drive yourself home.
- -If possible, an adult should be home with you after the procedure to assist you in your recovery.
- -Do not wear makeup, nail polish, bath oils, lotions, and powders on your face or body- you may use a deodorant.
- -Do not shave your surgical site- shaving can irritate your skin, which may lead to infection.

- -Prior to surgery your glasses/contacts and dentures may be removed, please bring a case for them.
- -Shower with an antibacterial soap like Dial or Lever (bar or body wash) the evening before <u>and</u> prior to your arrival to the center.
- -Wear comfortable, loose clothing and shoes that are easy to put on and take off.



GENERAL POST OPERATIVE INSTRUCTIONS

Because you have received sedation during your procedure/ surgery, you may have some mild after effects for a few hours following your operation or procedure. The following precautions should be taken unless your doctor instructs otherwise:

- 1. No alcoholic beverages for at least 24 hours.
- 2. Do not drive or operate machinery or equipment for 24 hours after returning home.

- 3. Do not make any major/ legal decisions for 24 hours after returning home.
- 4. Contact your doctor if you experience nausea or vomiting.

Avoid strenuous activity until seen by your doctor/surgeon . Stair climbing should be done slowly and carefully -you may tire easily with activity, which is expected.

Avoid lifting anything over 10 pounds.

Advance your diet slowly over the next day or two- avoid spicy, greasy and heavy meals.

FORMS (click to print):

Patient Rights and Responsibilities

Advanced Directives

Patient Concerns & Grievance Procedure

HIPPA Privacy Notice